



## INDUSTRIES SERVED



**CHOCOLATE  
& CANDY**



**MEAT &  
POULTRY**



**DRESSINGS,  
RELISHES & DIPS**



**SOUPS &  
SAUCES**



**CHEESE  
& DAIRY**



**PET FOOD**



**SAVOURY &  
PIE FILLINGS**



**READY MEALS**

CM Process Solutions HA400 Tilter has been designed to handle various types of containers such as a vat or a combo. It can be tilted to safe working height for manual unloading. Working similar to a pallet jack, the container is lifted then wheeled to its location for easy emptying.

This system increases efficiency and reduces operator bending fatigue. Fully 304 grade stainless steel construction with heavy duty stainless steel hydraulic displacement cylinders.

## FEATURES

**304**

STAINLESS  
STEEL



2200lb  
MAX CAPACITY



36"  
TILTING  
HEIGHT



UP TO  
85°  
TIPPING  
ANGLE



MAINS OR  
BATTERY



S. STEEL  
CYLINDER



DUAL  
CONTROLS



HYGIENIC  
BY DESIGN





## OPERATIONAL DESIGN

HA400 is a simple easy to maintain machine offering increased productivity helping prevent workplace injuries from repetitive strain. Designed to be positioned at specific locations to empty product on to conveyors or tables for further processing.

Independent controls are push to operate and mounted on both sides of the unit. The position of the control gives a complete view of the machine in operation.

Manufactured from 304 grade stainless steel and rated to IP65 and are suitable for direct contact with food products.

## INCREASED PRODUCTIVITY

Simple, versatile and easy to use, increasing production. The smooth tipping action allows efficient unloading of product, eliminating the risk of repetitive work injuries like strained muscles, ligaments, or any other musculoskeletal disorders. Able to tilt a variety of containers to a maximum height of 36" and at a maximum tip angle of 85° with a maximum weight of 2,200lbs.



sales@cmpsolutions.net  
t. 951 808 4376 f. 951 808 8657

[View this  
product online](#)

## BATTERY OR MAINS OPERATED

As with all our range of tippers and tilters the HA400 can be supplied battery or mains powered. Battery operation is supplied with a 110V mains charger allowing the machine to be simply plugged in at the end of the shift and the two batteries are recharged for the next working day.

## OPERATIONAL SAFETY

All of our machines are designed with operator safety in mind with no trap or knit points. The unit is mounted on heavy duty mobile lockable castors and the machine is lowered by means of a stainless steel hydraulic displacement cylinder using gravity.

## CUSTOMIZED SOLUTIONS

Our range of tippers and tilters can be completely customized to your specific individual needs, all of our machines can be integrated with a range of feed and transfer tables or specific styles of chutes. For more information regarding your needs please don't hesitate to contact us at CM Process Solutions.

The HA400 is adaptable to fit a range of containers.

