



INDUSTRIES SERVED



**CHOCOLATE
& CANDY**



**MEAT &
POULTRY**



**DRESSINGS,
RELISHES & DIPS**



**SOUPS &
SAUCES**



**CHEESE
& DAIRY**



PET FOOD



**SAVOURY &
PIE FILLINGS**



READY MEALS

CM Process Solutions five station stainless steel knee operated sinks have been designed to meet the food industry's requirements for washing hands, providing safe and efficient correct hygiene protocols prior to entering a production room.

The five-station sink is manufactured from 304 stainless steel and is a continuously welded design, with additional features like a high splash back allowing for items like soap dispensers to be fixed.

FEATURES

304

STAINLESS
STEEL



WATER
SAVING



MAINS
OPERATED



OPTION
SENSOR
OPERATED



HYGIENIC
BY DESIGN



A_B
CUSTOM
CARRIAGE



SIX STATION KNEE OPERATED WALL MOUNTED SINK



OPERATIONAL DESIGN

Our six station sinks are supplied with six knee push activation valves, which when pressed activate the flow of water. The sink is supplied with a mixer valve (95 °F to 149 °F) to regulate the hot and cold water.

Six stainless steel faucets are fitted on the sink splashback. A generous trough style basin has a depth of 6 ¼ inches. Excess water is centrally drained to the waste pipe.

The sink is wall mounted, but for additional support and stability a set of stainless steel tubular legs can be fitted to the floor. All our stainless steel sinks are delivered ready to be installed. The six station sink can also be supplied with a sensor operated faucet.

[click here for more information](#)

SANITARY DESIGN

As with all our equipment, sink stations are built using hygienic principles. Our sinks are hand free in design ensuring any potential virus and bacteria transmission is minimized.



sales@cmpsol.com

t. 951 808 4376 f. 951 808 8657

[View this
product online](#)

FEATURES

304 grade stainless steel construction

Fully welded design

Sensor or knee activated

High rear splash back

Supplied with stainless steel faucets and mixer valves

Wall mounted design, optional tubular leg support



DIMENSIONS SIX STATION KNEE OPERATED WALL MOUNTED SINK

