

# UDKW SINGLE LANE HAND SANITATION AND SOLE SANITIZER HYGIENE STATION



## **INDUSTRIES SERVED**



CHOCOLATE & CANDY



MEAT & POULTRY



DRESSINGS, RELISHES & DIPS



SOUPS & SAUCES



CHEESE & DAIRY



PET FOOD



SAVOURY & PIE FILLINGS



READY MEALS

The UDKW is a compact hygiene station and is designed to ensure that employees or visitors correctly wash and sanitize their hands and disinfect the soles of their footwear prior to entering the food production or processing areas.

The machine is fitted with a stainless steel turnstile to ensuring operators use the machine correctly and have thoroughly sanitized their hands and footwear.

#### **FEATURES**































## **OPERATIONAL DESIGN**

The simultaneous insertion of both hands inside the first chamber activates a pump which sprays the chosen soap onto the operators' hands allowing the user to rub their hands together to agitate the soap. After a short delay water is then sprayed to rinse. The second hand chamber is for automatic hand sanitize. Whilst sanitizing hands, the foot sanitation basin, full of sanitation solution sanitizes the bottom of footwear. Once the hand sanitation cycle is complete the turnstile unlocks allowing the operator to pass through into the production area. On leaving the production area the operator steps onto the machine, a sensor detects their presence unlocking the turnstile allowing them to pass through.

#### YOUR CHOICE

Unlike some of our competitors CM Process Solutions warranty does not obligate you to buy chemicals from us in order to receive spare parts or support.

We understand that each application is unique, and we fully believe that there is no one who understands your needs better than you, the customer and your current chemical supplier.



sales@cmpsolutions.net t. 951 808 4376 f. 951 808 8657 View this product online

## **FEATURES**

The UDKW is fully 304 grade stainless steel with sandblasted finish. The machine automatically doses the correct amount of hand and footwear sanitation chemicals. The Dyson hand dryer is fully integrated to the machine.

All process parameters are controlled digitally to be uniquely correct for your production system.

## **SANITARY DESIGN**

As with all our equipment the range of hygiene stations are built using hygienic principles. The construction of the machine is manufactured from 304 grade stainless steel, surfaces are radiused, so excess liquid drains easily form the frame. Chemical is stored within the compartment of the machine.

## MACHINE SERVICE DETAILS

**ELECTRIC** 110 v 60 HZ single phase 4 wire supply

24 v AC control circuit.

**WATER** 1 x ¾" NPT Inlet. 43 -65 psi inlet

pressure (warm if available).

**DRAIN** 1 x 2 " Outlet Gravity only.







