



INDUSTRIES SERVED



**CHOCOLATE
& CANDY**



**MEAT &
POULTRY**



**DRESSINGS,
RELISHES & DIPS**



**SOUPS &
SAUCES**



**CHEESE
& DAIRY**



PET FOOD



**SAVOURY &
PIE FILLINGS**



READY MEALS

The URKW range is designed to ensure employees and visitors completely wash, dry, and sanitize their hands then clean footwear prior to entering a food production or processing area. Available is three different footwear cleaning options. Simply sole cleaning brushes, or sole cleaning brushes with either the addition of 3" high brushes for cleaning the sides of the footwear or 12" high brushes for cleaning full boots.

Fitted with a stainless-steel turnstile ensuring operators use the machine correctly and have thoroughly sanitized their hands and footwear prior to entering the processing area.

FEATURES

304

STAINLESS
STEEL




HAND WASH



HAND DRYING



HAND
SANITIZE



BOOT SCRUB



TURNSTILE
ACCESS



ADJUSTABLE
TIMES



SENSOR
OPERATED



CHEMICAL
AUTO DOSING



CHEMICAL
STORAGE



SINGLE LANE



WATER
SAVING



HMI
CONTROLLED



HYGIENIC
BY DESIGN

URKWV300 SINGLE LANE BOOT CLEANING ALL IN ONE HYGIENE STATION



OPERATIONAL DESIGN

As the operator steps on to the machine an electrical sensor initiates the rotation of brushes and light illuminates the inside of the first chamber to initiate hand wash. Soap is sprayed allowing the user to rub hands together. After a short delay rinse water is sprayed. The Dyson automatic air blade mounted on the unit then dries hands. Then the second pair of chambers sprays sanitizer solution onto hands, after which the turnstile at the end of the machine will unlock, allowing the operator to pass over the sole cleaning brushes.

When leaving the production area a sensor mounted on the handrail unlocks the turnstile and initiates the rotation of the brushes allowing the operator to walk over them. Times for brush rotation, hand sanitation and turnstile opening are digitally adjustable to specific requirements.

YOUR CHOICE

Unlike some of our competitors CM Process Solutions warranty does not obligate you to buy chemicals from us in order to receive spare parts or support. We understand that each application is unique, and we fully believe that there is no one who understands your needs better than you, the customer and your current chemical supplier.



sales@cmpsolutions.net
t. 951 808 4376 f. 951 808 8657

[View this product online](#)

SAFETY FEATURES

Our range of boot and sole washers are designed with safety in mind. An emergency stop push button is mounted within the handrail and a subsequent reset push button ensures that the machine is safe to re-start operation.

The steps are non slip stainless steel and handrails are positioned to each side of the machine.

SANITARY DESIGN

As with all our equipment our range of sole washers are built using hygienic principles. The brushes are easily removed without the use of tools by simply lifting the stainless steel cover and sliding it off the motor cam. Manufactured in 304 grade stainless steel, surfaces are radiused allowing water to drain easily. Chemical is stored within the machine.

MACHINE SERVICE DETAILS

ELECTRIC	480v 60 HZ 3 phase 4 wire supply 24 v AC control circuit.
WATER	1 x ¾" NPT Inlet. 43 -65 psi inlet pressure (warm if available).
DRAIN	1 X ¾". Outlet Gravity only.
HORIZONTAL BRUSHES	71" Length 7½" Diameter
VERTICAL BRUSHES	12" Length 7½" Diameter

